

# App Load

## Signing Apps Before Use...

### Introduction:

Before you can use Döcu Content, including Filebin.nsf, you must first sign them both using the Lotus Notes Domino Administrator Software....

### Disclaimer:

Information contained in the following is presented as is. This tutorial assumes you have basic Lotus Notes Configuration knowledge.


### Load Lotus Notes Domino Administrator

First order of business is to load Lotus Notes Domino Administrator, you can do this right from your Domino Designer Environment by going to File + Launch Domino Administrator. Once there, you will need to go the Files Tab to view your list of databases. Provided you have already copied the Döcu Content App into your *root* folder, (1) select that dev folder, (2) right-click on the App (3) and choose Sign.

### Cheat Sheet:


Please follow below screenshots for hints on how to do this. You will then repeat the same for the filebin.nsf application, which must be at the root directory of Lotus Notes.

Figure 1



	Title	Filename	Physical Path	File Format	Logical Size	Physical Size	Max Size	Quota
autocorr	Domino Configuration T	dct.nsf	c:\Program Files (x86)\IBM\Lotus		8,912,896	8,912,896	No limit	
dev	Content Discussion	discussion.nsf	c:\Program Files (x86)\R6 (43:0)		3,670,016	3,670,016	No limit	
domino	Dököll Newsletters	dknews.nsf	c:\Program Files (x86)\R6 (43:0)		5,242,880	5,242,880	No limit	
gtrhome	Döcu	docu.nsf	c:\Program Files (x86)\R6 (43:0)		7,864,320	7,864,320	No limit	
Help	Döcu Content	docucontent.nsf	c:\Program Files (x86)\R6 (43:0)		19,660,800	19,660,800	No limit	
properties	Döcu Mobile	documobile.nsf	c:\Program Files (x86)\R6 (43:0)		11,534,336	11,534,336	No limit	
quicktune	Döcu Mobile	documobileclone.nsf	c:\Program Files (x86)\R6 (43:0)		13,631,488	13,631,488	No limit	
theme	Döcu Mobile	documobilexsp.nsf	c:\Program Files (x86)\R6 (43:0)		20,709,376	20,709,376	No limit	
W32	Döcu Web Services	docuservs.nsf	c:\Program Files (x86)\R6 (43:0)		3,145,728	3,145,728	No limit	
xsl	Döcu	docuv1.nsf	c:\Program Files (x86)\R6 (43:0)		223,608,832	223,608,832	No limit	

Figure 2



## TIP:

Wait at least 5 to 7 seconds to make sure Lotus Notes Administrator complete signing the Apps. Otherwise the possible error that may load when you attempt viewing the Döcu Content App in your browser is shown in Figure 3.

Figure 3

## Error 403

HTTP Web Server: You are forbidden to perform this operation

### **FileBin.nsf Housekeeping (Optional)**

Döcu Content App uses the filebin.nsf file as login database, it must first be reached otherwise when you attempt to login, you may find that the login page does not result to entry to site. Simply put, go to your application's navigator and open the file to make available resources. Perform the following tasks to enable login:

1. Run SecurityAccessView view in Lotus Notes Client
2. Add your machine's userID to the list (Based on your Lotus Notes ID file)
3. Save the SecurityAccessView view
4. Run Döcu Content

**Note:** In running Döcu Content, the Login page should load your machine's userID to the login


form, verify you have identical information in your view

## **Döcu Content Housekeeping**


You must login using userID 'AlienHouse' to access the App. However, if you need to use your computer's machine name or the userID name used when configuring your Lotus Notes software, before you can actually login to reach Döcu Content, you will also need to modify some Java class files and view columns, as shown below in both DöcuContent.nsf and FileBin.nsf.

Be sure to check each view the App is looking at to see where the userID needs to be added. You can modify code at your leisure to remove the need to perform such tasks thereafter. For now, you must use the userID '**AlienHouse**'. To do the above follow below steps:

1. Find **package** com.dokoll.solutions.inc.development.Utils; then grab LoginAppBean.java class in your Package, see screenshots below
2. Modify code highlighted in below screenshot identically to your userID file information



UserID	RoleID	ViewAccess	AddAccess	UpdateAccess	DeleteAccess	DateCreated
AlienHouse	Admin	Yes	Yes	Yes	Yes	10/05/2013 03:49:56 PM
MilesCherizan	Tester	Yes	Yes	Yes	Yes	10/05/2013 03:48:59 PM
* username101	User	Yes	Yes	No	No	10/05/2013 03:48:59 PM
* username101	Admin	Yes	Yes	Yes	Yes	10/05/2013 03:48:59 PM
* username102	User	No	Yes	No	No	10/05/2013 03:48:59 PM



```
44 //...
45 Vector<String> vector;
46 //...
47 //declare static variable for comparison block
48 static String COSMICTYPE = "Admin";
49 static String CSSITEM = "<xc:ccCSSItemA></xc:ccCSSItemA>";
50 static String JSITEM = "<xc:ccJSItemA></xc:ccJSItemA>";
51 static String IFRAMEITEM = "<xc:ccIFrameA></xc:ccIFrameA>";
52 static String CHARTFRAMEITEM = "<xc:ccChartFrameA></xc:ccChartFrameA>";
53 static String FORMTYPEITEM = "<xc:ccFormTypeA></xc:ccFormTypeA>";
54 static String RICHTXTITEM = "<xc:ccRTFItemA></xc:ccRTFItemA>";
55 static String RADIOGROUPITEM = "<xc:ccRadioGroupA></xc:ccRadioGroupA>";
56 static String CHECKBOXGROUPITEM = "<xc:ccCheckBoxGroupA></xc:ccCheckBoxGroupA>";
57 static String ERRORGROUPITEM = "<xc:ccSingleErr></xc:SingleErr>";
58 static String VERSIONINFOITEM = "<xc:ccVersionInfoA></xc:ccVersionInfoA>";
59
60
61 // declare static variable for comparison block
62 static String VIEWACCESS = "username101";
63 static String FORMVIEWACCESS = "AlienHouse";
```

## **Döcu Content Reports Libraries**

Before you can actually view Charts and Report, you will need to configure Build Path to add necessary libraries. You will also need to configure your CLASSPATH and add some information to your Lotus Notes directory, namely 'lib/ext' so your App can use the Libs to run the reports and


charts. For starters, the following errors may be available with your version of Döcu Content:

1. See documentation page in OpenNTF for the jar files you will need to add as libraries
2. Also grab zip file containing other report-related files which you will also needed added to your local drive


Description	Resource	Path	Location	Type
▲ [X] Errors (100 of 150 items)				
[X] ChartFactory cannot be resolved	CopyOfReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 91	Java Prob
[X] ChartFactory cannot be resolved	CopyOfReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 146	Java Prob
[X] ChartFactory cannot be resolved	NotesDocJavaBarChartBean.java	docucontent(1).nsf/...	line 282	Java Prob
[X] ChartFactory cannot be resolved	NotesDocJavaPieChartBean.java	docucontent(1).nsf/...	line 280	Java Prob
[X] ChartFactory cannot be resolved	ReadCSVIntoJFreeChartArrayBean.java	docucontent(1).nsf/...	line 98	Java Prob
[X] ChartFactory cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 110	Java Prob
[X] ChartFactory cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 197	Java Prob
[X] ChartFactory cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 260	Java Prob
[X] ChartFactory cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 320	Java Prob
[X] ChartFactory cannot be resolved	ReadCSVIntoJFreeChartJavaBean.java	docucontent(1).nsf/...	line 51	Java Prob
[X] ChartUtilities cannot be resolved	CopyOfReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 101	Java Prob
[X] ChartUtilities cannot be resolved	CopyOfReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 110	Java Prob
[X] ChartUtilities cannot be resolved	CopyOfReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 150	Java Prob
[X] ChartUtilities cannot be resolved	CopyOfReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 164	Java Prob
[X] ChartUtilities cannot be resolved	NotesDocJavaBarChartBean.java	docucontent(1).nsf/...	line 289	Java Prob
[X] ChartUtilities cannot be resolved	NotesDocJavaPieChartBean.java	docucontent(1).nsf/...	line 287	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartArrayBean.java	docucontent(1).nsf/...	line 108	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 120	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 129	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 207	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 216	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 264	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 278	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 324	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartBean.java	docucontent(1).nsf/...	line 338	Java Prob
[X] ChartUtilities cannot be resolved	ReadCSVIntoJFreeChartJavaBean.java	docucontent(1).nsf/...	line 71	Java Prob

**Begin by adding some jar files to your Lotus Notes Directory,**  
see screenshots for locations


## CSV LIB




## DB2 LIB



## JASPER LIB



## JFREE LIB



**Continue by making connection to files CLASSPATH Directory**, see screenshots for locations



- Control Panel Home
- **System and Security**
- Network and Internet
- Hardware and Sound
- Programs
- User Accounts and Family Safety
- Appearance and Personalization
- Clock, Language, and Region
- Ease of Access



### Action Center

Review your computer's status and resolve issues | Change User Account Control settings | Troubleshoot common computer problems | Restore your computer to an earlier time



### Windows Firewall

Check firewall status | Allow a program through Windows Firewall



### System

View amount of RAM and processor speed | Check the Windows Experience Index | Allow remote access | See the name of this computer | Device Manager



### Windows Update

Turn automatic updating on or off | Check for updates | View installed updates



### Power Options

Change battery settings | Require a password when the computer wakes | Change what the power buttons do | Change when the computer sleeps

- Control Panel Home
- Device Manager
- Remote settings
- System protection
- Advanced system settings

### System Properties

Computer Name
Hardware
Advanced
System Protection
Remote

You must be logged on as an Administrator to make most of these changes.

**Performance**

Visual effects, processor scheduling, memory usage, and virtual memory

[Settings...](#)

**User Profiles**

Desktop settings related to your logon

[Settings...](#)


**Startup and Recovery**

System startup, system failure, and debugging information


[Settings...](#)

[Environment Variables...](#)

[OK](#)
[Cancel](#)
[Apply](#)




**Finish by configuring your project's Build Path**, see screenshots for locations



**The library placeholders are available but are empty,** you must configure so that everything resembles screenshots provided earlier:

1. Click Add Library
2. User Library
3. New
4. The Add Jars from your Notes Directory



Version:2013.11.04.9.16.PM